

STATUTORY INSTRUMENTS SUPPLEMENT

to The Uganda Gazette No. 46 Volume CII dated 18th September, 2009

Printed by UPPC, Entebbe, by Order of the Government.

S T A T U T O R Y I N S T R U M E N T S

2009 No. 47.

**The Occupational Safety and Health (Plant Examination Fees)
Rules, 2009.**

(Under section 119(1) of the Occupational Safety and Health Act, 2006)

IN EXERCISE of the powers conferred upon the Minister by section 119(1) of the Occupational Safety and Health Act, 2006, these Rules are made this 2nd day of June, 2009.

1. Title

These Rules may be cited as the Occupational Safety and Health (Plant Examination Fees) Rules, 2009.

2. Commencement

These Rules shall come into force fourteen days after publication in the Gazette.

3. Application

These Rules shall apply to every plant and equipment including hoist, lifting machine, travelling crane, lifting appliance, lifting gear, steam boiler, steam receiver, air receiver or power generator as provided in Schedules 2 to 10.

4. Interpretation

In these Rules, unless the context otherwise requires—

“authorised person” has meaning as provided by the Act;

“currency point” has the meaning assigned to it in Schedule 1;

“Minister” means Minister responsible for occupational safety and health;

“plant” has the meaning as provided by the Act.

5. Revocation of S.I. No. 19 of 2004

The Factories (Plant Examination Fees) (Amendment of Schedule) Rules, 2004 are revoked.

SCHEDULE 1

CURRENCY POINT

Rule 3

A currency point is equivalent to twenty thousand shillings.

SCHEDULE 2

BASIC FEES FOR EXAMINATION OF HOISTS AND LIFTS

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>	
		<i>Power Operated</i>	<i>Manually Operated</i>
L.1		Currency Points	Currency Points
(a)	Hoists or Lifts	19.1	8.61
(b)	Builder's Hoists	12.1	–

SCHEDULE 3

BASIC FEES FOR EXAMINATION OF OVERHEAD TRAVELLING
CRANES AND OTHER LIFTING MACHINES

Rule 3

Category	Description	Basic Fee Per Unit	
		Power Operated	Manually Operated
L.2 (a)	Overhead Travelling Cranes Overhead travelling cranes having a nominal safe working load of more than 20 tons... ..	Currency Points 43.1	Currency Points 28.4
(b)	Overhead travelling cranes having a nominal safe working load of between 10 tons and 20 tons... ..	30.1	20.2
(c)	Overhead travelling cranes having a nominal safe working load of more than 5 tons and less than 10 tons ...	21.5	14.2
(d)	Overhead travelling cranes having a nominal safe working load of 5 tons or less	12.9	8.6
	Lifting Machines Other Than Overhead Travelling Cranes		
(e)	Lifting machines having a nominal safe working load of 10 tons or over	21.5	14.2
(f)	Lifting machines having a nominal safe working load of more than 5 tons, but less than 10 tons	17.2	11.2
(g)	Lifting machines having a nominal safe working load of 2 tons, but not exceeding 5 tons	12.9	8.6
(h)	Lifting machines having a nominal safe working load of less than 2 tons	8.6	6.4
(i)	Runways	7.5	7.5

SCHEDULE 4

BASIC FEES FOR EXAMINATION OF LIFTING APPLIANCES

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>	
		<i>Power Operated</i>	<i>Manually Operated</i>
L.3		Currency Points	Currency Points
(a)	Chain blocks having a nominal safe working load of 10 tons or over	11.2	8.6
(b)	Chain blocks having a nominal safe working load of 5 tons or more, but less than 10 tons.	6.9	5.2
(c)	Chain blocks having a nominal safe working load of 3 tons or more, but less than 5 tons.	5.6	4.3
(d)	Chain blocks having a nominal safe working load of less than 3 tons	4.3	2.98
(e)	Pulley blocks or gin wheels ...	-	1.5

SCHEDULE 5

BASIC FEES FOR EXAMINATION OF LIFTING GEAR

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>
L.4 (a)	Chains, chain slings, wire ropes or wire rope slings	Currency Unit 1.50 per running foot
(b)	Rings, hooks, shackles, swivels or eye-bolts	Currency Unit 1.50 per item

SCHEDULE 6

BASIC FEES FOR EXAMINATION OF STEAM BOILERS WHEN COLD

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>
P.1 (a)	Water tube boilers having an evaporative capacity of more than 25,000 lb/ hour	Currency points 43.0 plus Currency points 8.41 per 1000 lb/hr evaporation or part thereof in excess of 25,000 lb/hr
(b)	Water tube boilers having an evaporative capacity of between and including 10,000lb/hour and 25,000 lb/ hour	Currency points 43.0
(c)	Water tube boilers having an evaporative capacity of less than 10,000 lb/ hour	Currency points 34.5
(d)	Locomotive type, horizontal multi-tubular, Lancashire, Cornish or externally shell-type boilers other than boilers in categories P.1 (e), P.1 (f) or P.1 (j)	Currency points 37.9
(e)	Vertical, vertical cross-tube or vertical multi-tubular boilers other than boilers in categories P.1 (f) or P.1 (j)... ..	Currency points 28.4
(f)	Boilers less than 2 feet in diameter other than boilers in category P.1 (j) electrode boilers	Currency points 18.9
(g)	Economizers	Currency points 10.4
(h)	Superheaters	Currency points 8.6
(i)	Steam tube oven or steam tube hot plates	Currency points 17.2
(j)	Medical sterilizer boilers	Currency points 3.5

SCHEDULE 7

BASIC FEES FOR EXAMINATION OF STEAM RECEIVERS

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>
P.2 (a)	Steam receivers of diameter 2 feet or over ...	Currency points 10.4
(b)	Steam receivers of diameter less than 2 feet ...	Currency points 6.9
(c)	Steam receivers not of circular shape...	Currency points 6.9 plus CU 150 per square foot of heated surface in excess of 10 square ft

SCHEDULE 8

BASIC FEES FOR EXAMINATION OF AIR RECEIVERS

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>
P.3 (a)	Air receivers of diameter of 2 feet 6 inches or over 	Currency points 8.6
(b)	Air receivers of diameter less than 2 feet 6 inches 	Currency points 5.6

SCHEDULE 9

BASIC FEES FOR EXAMINATION OF POWER GENERATORS

Rule 3

<i>Category</i>	<i>Description</i>	<i>Basic Fee Per Unit</i>
P.4 (a)	Power generator installed for commercial or public utility with output of 10KVA -50KVA	Currency points 2.5
(b)	Power generator installed for commercial or public utility with output >50KVA, but ≤ 100KVA	Currency points 38.0
(c)	Power generator installed for commercial or public utility with output >100KVA, but ≤ 500KVA	Currency points 45.0
(d)	Power generator installed for commercial or public utility with output >500KVA	Currency points 60.0

SCHEDULE 10

ADDITIONAL FEES

Rule 3

- | | |
|--|--|
| 1. Each hydraulic test of a pressure vessel | 40 percent of the appropriate basic fees |
| 2. Each load test of a lifting machine, Lifting appliance, hoist or lift or item of lifting gear | 40 percent of the appropriate basic fees |
| 3. Each supplementary examination of a pressure vessel | 40 percent of the appropriate basic fees |

I HEREBY signify my hand this 2nd day of June, 2009.

HON. GABRIEL OPIO,
Minister for Gender, Labour and Social Development.